



ASSORTMENT AND PRODUCT GUIDE

# CHOOSE THE RIGHT BIT

**Luna**  
TOOLS

# CHOOSE THE RIGHT BIT

Bits come in a great variety of models. Different bits are suited for different tasks but all bits from Luna Tools are made of S2 metal. Here we go through different types of bits and their properties.

Head →

## STANDARD BITS

Good choice when using regular screwdrivers (not impact).



## TORSION BITS

Developed for use in impact screwdrivers. The torsion zone absorbs the forces that are generated.



Torsions zone  
(on impact bits only) →

## BITS PRIME



Bits Prime can be used for all types of screwdrivers. Both ordinary and impact. Bits Prime have a superior life and durability compared to other bits. This is due to a special hardening process and the strong dual ZrN coating.



Hexagonal 1/4 inch attachment. →

## LONG AND SHORT BITS

Bits can be found in many dimensions. Sometimes longer bits are demanded to get to screws in hard-to-reach places. Luna Tools has bits from 25 mm to 300 mm. What to choose is up to the user.



## Standard bits

Good choice when using regular screwdrivers (not impact).

ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
201220100	SLOTTED BITS 0.6X3.5MM 2PCS1"	25	2
201221009	SLOTTED BITS 0.6X4.5MM 2PCS1"	25	2
201222007	SLOTTED BITS 0.8X5.5MM 2PCS1"	25	2
201223005	SLOTTED BITS 1.2X6.5MM 2PCS1"	25	2
201320108	DOUBLE BITS PH1+PH2 2 PCS	65	2
201321007	DOUBLE BITS PZ1+PZ2 2 PCS	65	2
201272002	SQUARE BITS SQ1 10 PCS	25	10
201270105	SQUARE BITS SQ1 2 PCS 1"	25	2
201760097	SQUARE BITS SQ1 50MM 2 PCS	50	2
201760204	BITS SQ R1 89MM	89	1
201271004	SQUARE BITS SQ2 2 PCS 1"	25	2
201273000	SQUARE BITS SQ2 10 PCS	25	10
201760105	SQUARE BITS SQ2 50MM 2 PCS 1	50	2
201760303	BITS SQ R2 89MM	89	1
201760402	BITS SQ R3 89MM	89	1
201240108	PHILLIPS BITS US PH2G 2 PCS 1'	25	2
201241007	PHILLIPS BITS AM PH2G 10 PCS	25	10
201242005	PHILLIPS BITS AM PH2G 50 PCS	25	50
201249000	PHILLIPS BITS US PH2G	25	100
201260106	HEXAGON BITS 3MM 2 PCS 1"	25	2
201264009	HEXAGON BITS 3MM 10 PCS	25	10
216150102	BITS HEX 3 89MM	89	1
201261005	HEXAGON BITS 4MM 2 PCS 1"	25	2
201265006	HEXAGON BITS 4MM 10 PCS	25	10
216150201	BITS HEX 4 89MM	89	1
201262003	HEXAGON BITS 5MM 2 PCS 1"	25	2
201266004	HEXAGON BITS 5MM 10 PACK	25	10
216150300	BITS HEX 5 89MM	89	1
201263001	HEXAGON BITS 6MM 2 PCS 1"	25	2
201267002	HEXAGON BITS 6MM 10 PACK	25	10
216150409	BITS HEX 6 89MM	89	1
276810108	DIMPER SCREWSETTER 25MM PH2	25	1
276810207	DIMPER SCREWSETTER 50MM PH2	50	1



The stop makes sure the screw stops at the right depth!

ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
201230109	PHILLIPS BITS PH1 2 PCS 1"	25	2
201233004	PHILLIPS BITS PH1 10 PCS	25	10
201239001	PHILLIPS BITS PH1 S	25	100
201290202	BITS PH1 89MM	89	1
201231008	PHILLIPS BITS PH2 2 PCS 1"	25	2
201234002	PHILLIPS BITS PH2 10 PCS	25	10
201236007	PHILLIPS BITS PH2 50 PCS	25	50
201239100	PHILLIPS BITS PH2 S	25	100
201290103	PHILLIPS BITS PH2 2 PCS 2"	50	2
201292000	PHILLIPS BITS PH2 10 PCS	50	10
201290301	BITS PH2 89MM	89	1
201291002	PHILLIPS BITS PH2 LENGTH 6"	150	1
212770101	BITS PH2G 89MM	89	1
201232006	PHILLIPS BITS PH3 2 PCS 1"	25	2
201235009	PHILLIPS BITS PH3 10 PCS	25	10
201290400	BITS PH3 89MM	89	1
201250107	POZIDRIV BITS PZ1 2 PCS 1"	25	2
201253002	POZIDRIV BITS PZ1 10 PCS	25	10
201256005	POZIDRIV BITS PZ1 50 PCS	25	50
201300100	POZIDRIV BITS PZ1 2 PCS 2"	50	2
201304003	POZIDRIV BITS PZ1 10 PCS	50	10
201306107	BITS PZ1 89MM	89	1
201251006	POZIDRIV BITS PZ2 2 PCS 1"	25	2
201254000	POZIDRIV BITS PZ2 10 PCS	25	10
201257003	POZIDRIV BITS PZ2 50 PCS	25	50
201259108	POZIDRIV BITS PZ2	25	100
201301009	POZIDRIV BITS PZ2 2 PCS 2"	50	2
201305000	POZIDRIV BITS PZ2 10 PCS	50	10
201306206	BITS PZ2 89MM	89	1
201303005	POZIDRIV BITS PZ2 LENGTH 6"	150	1
201252004	POZIDRIV BITS PZ3 2 PCS 1"	25	2
201255007	POZIDRIV BITS PZ3 10 PCS	25	10
201258001	POZIDRIV BITS PZ3 50 PCS	25	50
201302007	POZIDRIV BITS PZ3 2 PCS 2"	50	2
201306305	BITS PZ3 89MM	89	1



ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
201280104	TORX BITS T10 2 PCS 1"	25	2
201283504	TORX BITS T10 10 PCS	25	10
201287000	TORX BITS T10 50 PCS	25	50
201289006	TORX BITS T10 S	25	100
201310109	TORX BITS T10 2 PCS 2"	50	2
201315504	TORX BITS T10 10 PCS	50	10
201312006	TORX BITS T10 LENGTH 70MM	70	1
212780100	BITS TX10 89MM	89	1
201314002	TORX BITS T10 LENGTH 6"	150	1
201280500	TORX BITS T15 2 PCS 1"	25	2
201284007	TORX BITS T15 10 PCS	25	10
201289105	TORX BITS T15 S	25	100
201310125	TORX BITS T15 2 PCS 2	50	2
212780209	BITS TX15 89MM	89	1
201281003	TORX BITS T20 2 PCS 1"	25	2
201284502	TORX BITS T20 10 PCS	25	10
201287505	TORX BITS T20 50 PCS	25	50
201289204	TORX BITS T20 S	25	100
201310505	TORX BITS T20 2 PCS 2"	50	2
201316007	TORX BITS T20 10 PCS	50	10
201312501	TORX BITS T20 LENGTH 70MM	70	1
212780308	BITS TX20 89MM	89	1
201314507	TORX BITS T20 LENGTH 6"	150	1
201281508	TORX BITS T25 2 PCS 1"	25	2
201285004	TORX BITS T25 10 PCS	25	10
201288008	TORX BITS T25 50 PCS	25	50
201289303	TORX BITS T25 S	25	100
201311008	TORX BITS T25 2 PCS 2"	50	2
201316502	TORX BITS T25 10 PCS	50	10
201313004	TORX BITS T25 LENGTH 70MM	70	1
212780407	BITS TX25 89MM	89	1
201315009	TORX BITS T25 LENGTH 6"	150	1
201318201	TORX BITS T25 LENGTH 300MM	300	1
201282001	TORX BITS T27 2 PCS 1"	25	2
201285509	TORX BITS T27 10 PCS	25	10
201311024	TORX BITS T27 2 PCS 2	50	2
212780506	BITS TX27 89MM	89	1



ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
201282506	TORX BITS T30 2 PCS 1"	25	2
201286002	TORX BITS T30 10 PCS	25	10
201288503	TORX BITS T30 50 PCS	25	50
201289501	TORX BITS T30 S	25	100
201317005	TORX BITS T30 10 PCS	50	10
201313509	TORX BITS T30 LENGTH 70MM	70	1
212780605	BITS TX30 89MM	89	1
201318300	TORX BITS T30 LENGTH 300MM	300	1
201283009	TORX BITS T40 2 PCS 1"	25	2
201286507	TORX BITS T40 10 PCS	25	10
201311529	TORX BITS T40 2 PCS 2	50	2
212780704	BITS TX40 89MM	89	1
200350106	TORX BITS TS10 2PC	25	2
212280101	TORX BITS TS10 SECURITY 70MM	70	1
200350205	TORX BITS TS15, 2 PC	25	2
212280200	TORX BITS TS15 SECURITY 70MM	70	1
212280606	BITS TS15 WITH HOLE 89MM	89	1
200350809	TORX BITS TS20, 10 PC	25	10
200350304	TORX BITS TS20, 2 PC	25	2
212280705	BITS TS20 WITH HOLE 89MM	89	1
212280309	TORX BITS TS20 SECURITY 70MM	70	1
200350403	TORX BITS TS25, 2 PC	25	2
200350908	TORX BITS TS25, 10 PC	25	10
212280408	TORX BITS TS25 SECURITY 70MM	70	1
212280804	BITS TS25 WITH HOLE 89MM	89	1
200350502	TORX BITS TS27, 2 PC	25	2
212280903	BITS TS27 WITH HOLE 89MM	89	1
200350601	TORX BITS TS30, 2 PC	25	2
212281000	BITS TS30 WITH HOLE 89MM	89	1
200350700	TORX BITS TS40, 2 PC	25	2
212281109	BITS TS40 WITH HOLE 89MM	89	1
212180095		75	1
212180103	75MM BALL HEAD HEX BIT 4MM	75	1
212180202	75MM BALL HEAD HEX BIT 5MM	75	1
212180301	75MM BALL HEAD HEX BIT 6MM	75	1




## Standard bits set

Sets with the most common bits

ITEM NO	DESCRIPTION	CONTENT
281150201	BIT MAT LUNA 10 PCS	10
281150102	BITSSET 20 PCS KEYRING	20
201390101	BITSSET A 25 PCS QUICK HOLDER	25
201390200	BITSSET A 25 PCS IN 50PACK	25
201391000	BITSSET B 25 PCS QUICK HOLDER	25
201391109	BITSSET B 25 PCS IN 50PACK	25
201400108	BITSSET 31 PCS MAGNET HOLDER	31
201410107	DRILL/BITSSET 30 PCS	30
201660107	POCKET CASE TORX 10 PCS	10
212090104	MIXED BITS 67PC (A)	67
212750103	BITS SET TORX 14PARTS	14
212750202	BITS SET MIXED 14PARTS	14
212760102	BITS SET MIXED 28PARTS	14



281150201



281150102



201390101, 201390200



201391000, 201391109



201400108



201410107



201660107



212090104



212750103



212750202



212760102

## Torsion bits

Developed for use in impact screwdrivers

ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
263530099	BITS PH1 IMPACT 32MM (2)	32	2
263480105	BITS PH1 IMPACT 50MM (2)	50	2
263530107	BITS PH2 IMPACT 32MM (2)	32	2
263530206	BITS PH2 IMPACT 32MM (10)	32	10
263530305	BITS PH2 IMPACT 32MM	32	100
263480204	BITS PH2 IMPACT 50MM (2)	50	2
263540106	BITS PH2G IMPACT 32MM (2)	32	2
263540205	BITS PH2G IMPACT 32MM (10)	32	10
263540304	BITS PH2G IMPACT 32MM (50)	32	50
263540403	BITS PH2G IMPACT 32MM	32	100
263490104	BITS PH2G IMPACT 50MM (2)	50	2
263530404	BITS PH3 IMPACT 32MM (2)	32	2
263480303	BITS PH3 IMPACT 50MM (2)	50	2
263550105	BITS PZ1 IMPACT 32MM (2)	32	2
263550204	BITS PZ1 IMPACT 32MM (10)	32	10
263550303	BITS PZ1 IMPACT 32MM	32	100
263510109	BITS PZ1 IMPACT 50MM (2)	50	2
263550402	BITS PZ2 IMPACT 32MM (2)	32	2
263550501	BITS PZ2 IMPACT 32MM (10)	32	10
263510208	BITS PZ2 IMPACT 50MM (2)	50	2
263550808	BITS PZ3 IMPACT 32MM (2)	32	2
263550907	BITS PZ3 IMPACT 32MM (10)	32	10
263510307	BITS PZ3 IMPACT 50MM (2)	50	2
247810104	BITS TS10 IMPACT 32MM (2)	32	2
247810203	BITS TS15 IMPACT 32MM (2)	32	2
247810302	BITS TS20 IMPACT 32MM (2)	32	2
247810401	BITS TS25 IMPACT 32MM (2)	32	2
247810500	BITS TS27 IMPACT 32MM (2)	32	2
247810609	BITS TS30 IMPACT 32MM (2)	32	2
247810708	BITS TS40 IMPACT 32MM (2)	32	2



ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
263560104	BITS TX10 IMPACT 32MM (2)	32	2
263560203	BITS TX10 IMPACT 32MM (10)	32	10
263520108	BITS TX10 IMPACT 50MM (2)	50	2
263560500	BITS TX15 IMPACT 32MM (2)	32	2
263560609	BITS TX15 IMPACT 32MM (10)	32	10
263520207	BITS TX15 IMPACT 50MM (2)	50	2
263560807	BITS TX20 IMPACT 32MM (2)	32	2
263560906	BITS TX20 IMPACT 32MM (10)	32	10
263561003	BITS TX20 IMPACT 32MM (50)	32	50
263561102	BITS TX20 IMPACT 32MM	32	100
263520306	BITS TX20 IMPACT 50MM (2)	50	2
263520405	BITS TX20 IMPACT 50MM (10)	50	10
263561201	BITS TX25 IMPACT 32MM (2)	32	2
263561300	BITS TX25 IMPACT 32MM (10)	32	10
263561409	BITS TX25 IMPACT 32MM (50)	32	50
263520504	BITS TX25 IMPACT 50MM (2)	50	2
263520603	BITS TX25 IMPACT 50MM (10)	50	10
263561227	BITS TX27 IMPACT 32MM (2)	32	2
263520702	BITS TX27 IMPACT 50MM (2)	50	2
263561607	BITS TX30 IMPACT 32MM (2)	32	2
263561706	BITS TX30 IMPACT 32MM (10)	32	10
263561805	BITS TX30 IMPACT 32MM (50)	32	50
263520801	BITS TX30 IMPACT 50MM (2)	50	2
263520900	BITS TX30 IMPACT 50MM (10)	50	10
263561623	BITS TX40 IMPACT 32MM (2)	32	2
263521007	BITS TX40 IMPACT 50MM (2)	50	2
248510109	BITS PH2G 50MM WITH HOLDER	17	1



A ring magnets holds and stabilizes the swrew. This makes it easier to pull the screw without holding it.

## Torsions bits

Sets with the most common bits.

ITEM NO	DESCRIPTION	CONTENT
281150300	BIT MAT IMPACT LUNA 10 PCS	10
265200204	BITSSET 46PC IMPACT MIX	46
264880402	BITSSET 10 BULK IMPACT MIX	40 PCS BULK.
265200105	BITSSET 46PC IMPACT TORX	46
264880204	BITSSET IMPACT 10PCS MIX	10
264880105	BITSSET IMPACT 10PCS TORX	10
264880303	BITSSET 10 BULK IMPACT TORX	40 PCS BULK.



281150300



265200204, 264880402



264880105, 264880303



265200204



265200105

## Bits Prime

Torsion bits for TX heads, specially treated head with double surface coating, making the head extra durable.


ITEM NO	DESCRIPTION	LENGTH (mm)	CONTENT (pcs)
274910108	BITS TX10 PRIME 29MM (2)	29	2
274910207	BITS TX15 PRIME 29MM (2)	29	2
274910306	BITS TX20 PRIME 29MM (2)	29	2
274910405	BITS TX25 PRIME 29MM (2)	29	2
274910603	BITS TX30 PRIME 29MM (2)	29	2
274910702	BITS TX40 PRIME 29MM (2)	29	2
274910801	BITS PH1 PRIME 29MM (2)	29	2
274910900	BITS PH2 PRIME 29MM (2)	29	2
274911007	BITS PH3 PRIME 29MM (2)	29	2
274911205	BITS PZ1 PRIME 29MM (2)	29	2
274911304	BITS PZ2 PRIME 29MM (2)	29	2
274911403	BITS PZ3 PRIME 29MM (2)	29	2
281140103	BITS PH1 PRIME 50MM (2)	50	2
281140202	BITS PH2 PRIME 50MM (2)	50	2
281140301	BITS PH3 PRIME 50MM (2)	50	2
281140400	BITS PZ1 PRIME 50MM (2)	50	2
281140509	BITS PZ2 PRIME 50MM (2)	50	2
281140608	BITS PZ3 PRIME 50MM (2)	50	2
281140707	BITS TX10 PRIME 50MM (2)	50	2
281140806	BITS TX15 PRIME 50MM (2)	50	2
281140905	BITS TX20 PRIME 50MM (2)	50	2
281141002	BITS TX25 PRIME 50MM (2)	50	2
281141101	BITS TX30 PRIME 50MM (2)	50	2
281141200	BITS TX40 PRIME 50MM (2)	50	2



## Screw holder

Screw holders come in different models. With magnets or with a spring that holds the screw. The spring version is used for stainless steel screws.

ITEM NO	DESCRIPTION	LENGTH (mm)	FOR IMPACT SCREWDRIVERS
201380094	48MM MAG. NUTSETTER 6MM	48	
201380102	HEXAGON MAGNETIC SOCKETS 1/4"	48	
201380201	48MM MAG. NUTSETTER 7MM	48	
201381001	HEXAGON MAGNETIC SOCKETS 8MM	48	
201381019	48MM MAG. NUTSETTER 3/8	48	
201381100	48MM MAG. NUTSETTER 1/2	48	
201382009	HEXAGON MAGNETIC SOCKETS 10MM	48	
201382108	48MM MAG. NUTSETTER 13MM	48	
212170104	48MM SPRING NUTSETTER 8MM	48	
212170203	48MM SPRING NUTSETTER 1/4	48	
242270106	HEXAGON MAGNETIC SOCKETS 1/4"	65	Yes
242270205	HEXAGON MAGNETIC SOCKETS 8MM	65	Yes
242270304	HEXAGON MAGNETIC SOCKETS 10MM	65	Yes
242270403	HEXAGON MAGNETIC SOCKETS 13MM	65	Yes



## Square drive

Square drive with 1/4" attachment and square connector for tools, specially adapted for impact screwdrivers.

ITEM NO	DESCRIPTION	LENGTH (mm)	FOR IMPACT SCREWDRIVERS
242280105	ADAPTOR 1/4-1/4 75MM	75	Yes
242280204	ADAPTOR 1/4-3/8 75MM	75	Yes
242280303	ADAPTOR 1/4-1/2 75MM	75	Yes



## Bit holder flexible

Bit holder with quick release for the bit, and a flexible shaft.

ITEM NO	DESCRIPTION	LENGTH (mm)
268940101	BIT HOLDER FLEXIBLE 300MM	300



## Bit holder angle 25° w magnet

Angeled bit holder with a quick release function. Possible to angle the tip 25 degrees to have better access to hard to reach screws.

ITEM NO	DESCRIPTION	LENGTH (mm)
268950100	BIT HOLDER ANGLE 25GR	88



## Magnet bit holder

Quick chuck holder with recessed magnet and ball lock. 1/4" hexagonal drive.

ITEM NO	DESCRIPTION	LENGTH (mm)
201330107	MAGNET BIT HOLDER	50



## Magnet bit holder w ball lock

Quick chuck holder with ball lock. For bits with a neck and standard bits. 1/4" hexagonal drive.

ITEM NO	DESCRIPTION	LENGTH (mm)
201340205	MAGNET BIT HOLDER 63MM	64



## Magnet bit holder

Bit holder with recessed magnet. Stainless socket. 1/4" hexagonal drive.

ITEM NO	DESCRIPTION	LENGTH (mm)
201350105	MAGNET BIT HOLDER 60MM	60
201351004	MAGNET BIT HOLDER 75MM	75



## Magnet bit holder

Bit holder with recessed magnet. One piece stainless steel. 1/4" hexagonal drive.

ITEM NO	DESCRIPTION	MATERIAL	LENGTH (mm)
201360104	MAGNET BIT HOLDER 57MM	Rostfritt	57
201361003	MAGNET BIT HOLDER 150MM	Rostfritt	150



## Magnet bit holder

Bit holder with recessed magnet and screw guide. With 1/4" hexagonal drive.

ITEM NO	DESCRIPTION	LENGTH (mm)
201370103	MAGNET BIT HOLDER 80MM	80
201371002	MAGNET BIT HOLDER 120MM	120



## Quick chuck

Extra long quick chuck holder with ball lock. 1/4" hexagonal drive.

ITEM NO	DESCRIPTION	LENGTH (mm)
212290100	QUICK CHUCK 305MM MAGNET	305



## Bit holder with magnet

Bit holder with ball-lock. For bits with shoulder and standard bits. 1/4" drive.  
Quick connection with one hand, and ring magnet to hold the screw.

ITEM NO	DESCRIPTION	LENGTH (mm)
248490104	BIT HOLDER MAGNET 65MM	65



## Ring magnet bit holder

Bit holder with ball lock. For bits with a neck and standard bits. 1/4" hexagonal drive.  
Quick connection with one-hand grip and ring magnet to hold the screw.

ITEM NO	DESCRIPTION	LENGTH (mm)
232820100	RING MAGNET BIT HOLDER 76MM	76



## Impact bit holder

Bit holder with recessed magnet. Stainless socket. 1/4" hexagonal drive.  
Extra strong. Suitable for impact screwdrivers.

ITEM NO	DESCRIPTION	LENGTH (mm)	TORSION
232830109	IMPACT BIT HOLDER 50MM	50	Yes



## Magnet bit holder Impact

Impact bit holder with recessed magnet, specially adapted for impact screwdrivers.

ITEM NO	DESCRIPTION	LENGTH (mm)	TORSION
244080107	MAGNET BIT HOLDER IMPACT 54MM	54	Yes



## Angle bit holder

Angle drill attachment. For screwing and drilling in hard to reach places.  
Fitted with support handles that can be placed in different positions.  
With 1/4" drive and angular gear that can handle up to 33 Nm.

ITEM NO	DESCRIPTION	LENGTH (mm)
230010100	ANGLE BIT HOLDER	138



## Angle driver

Angle drill attachment. For screwing and drilling in hard to reach places.  
Fitted with support handles that can be placed in different positions.  
With 1/4" drive and angular gear that can handle up to 57 Nm.

ITEM NO	DESCRIPTION	LENGTH (mm)
244040101	ANGLE DRIVER 1/4"	145



## Angle driver w/flex shaft

Angle drill attachment with flexible shaft. For screwing and drilling in hard to reach places. Equipped with support handle that can be mounted on the right or left side.  
With 1/4" drive and angular gear that can handle up to 20 Nm.

ITEM NO	DESCRIPTION	LENGTH (mm)
244040200	ANGLE DRIVER W/FLEX SHAFT	310



## Mini angle driver

Angle drill attachment. For screwing and drilling in hard to reach places. Equipped with support handle that can be mounted on the right or left side. With 1/4" drive and angular gear that can handle up to 40 Nm.

ITEM NO	DESCRIPTION	LENGTH (mm)
244040309	MINI ANGLE DRIVER	80

