PROTECT YOUR WORKDAY – EVERY DAY





HAND TOOLS

PREPARED FOR TOOL FALL PROTECTION

CLuna TOOLS



63%

work at height daily or weekly.

73%

have dropped a hand tool from height. 53% have damaged a tool or material when they dropped hand tools from height. 61% say they would secure their tools if there was a mounting point for fall protection on the tool.

WHY PROFESSIONALS DO NOT SECURE THEIR TOOLS WHEN WORKING AT HEIGHT

BASED ON 206 TELEPHONE INTERVIEWS WITH CRAFTSMEN IN SWEDEN AND NORWAY DURING JUNE 2019. RESPONDENTS COULD CHOOSE MORE THAN ONE ANSWER.

| Do not know how to use tool fall protection properly |
|---|
| Think it is time consuming to use tool fall protection |
| Have no tools prepared for easy fall protection |
| Feel that tool fall protection "gets in the way" when carrying out their work |
| Believe it costs too much to use tool fall protection |
| Never think about it |
| |


PREPARED FOR TOOL FALL PROTECTION




THIS SYMBOL INDICATES THAT THE TOOL HAS A MOUNTING POINT FOR FALL PROTECTION

Working at height is part of everyday life for Nordic craftsmen. The majority are working on roofs, ladders and scaffolding every day or every week. We have therefore equipped all our hand tools with mounting points for tool fall protection. The mounting points are positioned to give you maximum freedom of movement

when working and are adapted for our own system for tool fall protection − Luna ZeroDrop™. When you use tool fall protection, you avoid wasting time fetching or replacing dropped tools. At the same time, you reduce the risk of accidents and expensive damage to materials.





FOR NORDIC CONDITIONS

Every Luna tool in this catalogue is made on your terms, to enable you to do your job as smartly, efficiently and safely as possible. Luna has been working with tools for over 100 years, and we are always looking for new ways to meet the needs and expectations of professional craftsmen.

Today we are one of the leaders in the industry. We know that the Nordic climate is demanding. We therefore make sure that our tools are just as useful in the cold and heat, at height and on firm ground. With a focus on quality and ease of use, we will help you protect your workday — every day.



SAFER TOOLS WITH Luna ZeroDrop™

THREE THINGS TO MAKE MORE PEOPLE USE TOOL FALL PROTECTION WHEN WORKING AT HEIGHT

BASED ON 206 TELEPHONE INTERVIEWS WITH CRAFTS-MEN IN SWEDEN AND NORWAY DURING JUNE 2019. SURVEY CARRIED OUT BY SOLVERO. It can be time consuming to find reliable and practical ways to secure tools. We have therefore used the knowledge we have gained over a 100 years of development, production and tool use to find good solutions for working at height.

While developing Luna ZeroDrop™, we focused on producing safe and reliable solutions. We have also focused on making sure these solutions are easy to apply to our tools – while still achieving maximum freedom of movement when working.

50%
would like to see a wider range of fall protection equipment

TOOL FALL PROTECTION IN THREE SIMPLE STEPS.

61%want mounting points on tools for simple fall protection

1. CHOO
nting points
r simple fall

1. CHOOSE YOUR TOOL.

53% want guidance on how to use tool fall protection

2. CHOOSE AN APPROPRIATE TETHERING COMPONENT.



3. CHOOSE A SUITABLE CORD FOR THE TASK AND ATTACH IT.



FOR MORE DETAILED GUIDES AND VIDEOS: VISIT WWW.LUNATOOLS.COM





LUNA CARPENTER'S HAMMERS

We sold our first hammer in 1917. Since then we have continuously developed our hammer range together with Nordic craftsmen. The grip on our hammers has been designed to fit perfectly in your hand, and to work perfectly in all seasons. The material selection and design create a firm grip, even when in rain and freezing temperatures. All our hammers are prepared for tool fall protection.

FULLY FORGED HAMMERS



FULLY FORGED HAMMER L-EVO

- Carpenter's hammer forged in one piece
- Advanced design provides greater impact in relation to weight
- Design reduces vibrations between face and handle
- Magnetic nail holder

- Curved, extra thin ground claw allows you to easily grip under nails or mouldings
- Ergonomic handle with special rubber for a good grip and comfort whatever the weather
- End stop with hole for tool fall protection



FULLY FORGED HAMMER LF

- Carpenter's hammer forged in one piece in a flexible design
- Curved thin ground claw allows you to easily grip under nails or mouldings
- Ergonomic handle with special rubber for a good grip and comfort whatever the weather
- Heavy duty end stop reduces risk of dropping the hammer
- Hole for tool fall protection



FULLY FORGED HAMMER LFN

- Carpenter's hammer forged in one piece in a flexible design
- Head with magnetic nail holder
- Curved thin ground claw allows you to easily grip under nails or mouldings
- Ergonomic handle with special rubber for a good grip and comfort whatever the weather
- Heavy duty end stop reduces risk of dropping the hammer
- Hole for tool fall protection

| ARTICLE NUMBER | 271200107 | 271200206 | 271200305 | 271170102 | 271170201 | 271470106 | 271470205 |
|-------------------------------|----------------------------------|----------------------------------|----------------------------------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|
| Article name | CARPENTER'S HAMMER L-EVO 160Z | CARPENTER'S HAMMER L-EVO 200Z | CARPENTER'S HAMMER L-EVO 220Z | CARPENTER'S HAMMER LF 160Z | CARPENTER'S HAMMER LF 200Z | CARPENTER'S HAMMER LFN 160Z | CARPENTER'S HAMMER LFN 200Z |
| Head weight oz | 16 | 20 | 22 | 16 | 20 | 16 | 20 |
| Face diameter mm | 28 | 30 | 32 | 28 | 30 | 28 | 30 |
| Length mm | 330 | 350 | 380 | 335 | 350 | 335 | 350 |
| Handle material | Forged | Forged | Forged | Forged | Forged | Forged | Forged |
| Claw | Curved | Curved | Slightly curved | Curved | Curved | Curved | Curved |
| Total weight g | 750 | 780 | 800 | 870 | 985 | 870 | 985 |
| Face shape | Round | Round | Round | Round | Round | Round | Round |
| Suitable tool fall protection | 248871204 | 248871204 | 248871204 | 288060304 | 288060304 | 288060304 | 288060304 |

FIBREGLASS HAMMERS



CARPENTER'S HAMMER LGF

- Carpenter's hammer with fibreglass handle
- Strong and durable design
- Ergonomic handle with special rubber for a good grip and comfort in all weathers
- Curved thin ground claw allows you to easily grip under nails or mouldings
- Heavy duty end stop with hole for tool fall protection

| ARTICLE NUMBER | 271190100 |
|-------------------------------|--------------------------------|
| Article name | CARPENTER'S HAMMER LGF 160Z |
| Head weight oz | 16 |
| Face diameter mm | 28 |
| Length mm | 325 |
| Handle material | Fibreglass |
| Claw | Curved |
| Total weight g | 750 |
| Face shape | Round |
| Suitable tool fall protection | 288060304 |


STEEL TUBE HAMMERS



CARPENTER'S HAMMER LST

- Carpenter's hammer with steel tube handle
- Ergonomic handle with special rubber for a good grip and comfort whatever the weather
- Curved thin ground claw allows you to easily grip under nails or mouldings
- Heavy duty end stop with hole for tool fall protection

| ARTICLE NUMBER | 271180101 | 271180200 |
|-------------------------------|--------------------------------|--------------------------------|
| Article name | CARPENTER'S HAMMER LST 160Z | CARPENTER'S HAMMER LST 200Z |
| Head weight oz | 16 | 20 |
| Face diameter mm | 28 | 30 |
| Length mm | 335 | 340 |
| Handle material | Steel tube | Steel tube |
| Claw | Curved | Curved |
| Total weight g | 700 | 840 |
| Face shape | Round | Round |
| Suitable tool fall protection | 288060304 | 288060304 |





LUNA STRIKING TOOLS

Luna's wide range of striking tools is perfectly adapted to the needs of carpenters, sheet metal workers, ventilation fitters and caretakers. And many other professional groups. Material selection and detailed machining of striking faces are key features of this range. Friction zones on the handles provide a better grip in damp weather conditions. All our striking tools are prepared for tool fall protection and can be secured easily with several types of tether.

STONING HAMMERS



STONING HAMMER HICKORY LSHH

- Stoning hammer with smooth ground striking faces
- Handle made of environmental class hickory
- Friction zone on handle for a good grip whatever the weather
- Hole for tool fall protection



STONING HAMMER FIBREGLASS LSHG

- Stoning hammer with smooth ground striking faces
- Fibreglass handle adapted for tough jobs and high stress
- Special rubber in the handle for a good grip whatever the weather
- Hole for tool fall protection

| ARTICLE NUMBER | 271240103 | 271240202 | 271240301 | 271230104 | 271230203 | 271230302 |
|-------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|
| Article name | STONING HAMMER LSHG 800G | STONING HAMMER LSHG 1000G | STONING HAMMER LSHG 1250G | STONING HAMMER LSHH 800G | TONING HAMMER LSHH 1000G | STONING HAMMER LSHH 1250G |
| Total weight g | 940 | 1150 | 1400 | 975 | 1200 | 1410 |
| Length mm | 250 | 263 | 264 | 260 | 263 | 264 |
| Handle material | Hickory | Hickory | Hickory | Fibreglass | Fibreglass | Fibreglass |
| Dimensions mm | 36x36 | 40x40 | 43x43 | 36x36 | 40x40 | 43x43 |
| Head weight g | 800 | 1000 | 1200 | 800 | 1000 | 1200 |
| Face shape | Square | Square | Square | Square | Square | Square |
| Suitable tool fall protection | 288060304 | 288060304 | 288060304 | 288060304 | 288060304 | 288060304 |



MACHINIST HAMMERS



MACHINIST HAMMER LMHG

- Forged Machinist hammer with hardened cross peen
- Fibreglass handle with special rubber for a good grip whatever the weather
- Dark enamelled with square smooth ground face
- Hole for tool fall protection



MACHINIST HAMMER LMHH

- Forged Machinist hammer with hardened cross peen
- Handle made of environmental class hickory
- Handle with friction zone and rubber handle guard
- Dark enamelled with square smooth ground face
- Hole for tool fall protection

| ARTICLE NUMBER | 272650102 | 272650201 | 272650300 | 272650409 | 272650508 | 272650607 |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|
| Article name | MACHINIST HAMMER LMHG 100G | MACHINIST HAMMER LMHG 200G | MACHINIST HAMMER LMHG 300G | MACHINIST HAMMER LMHG 500G | ACHINIST HAMMER LMHG 800G | MACHINIST HAMMER LMHG 1000G |
| Total weight g | 210 | 320 | 460 | 700 | 1040 | 1210 |
| Length mm | 254 | 278 | 294 | 316 | 350 | 352 |
| Handle material | Fibreglass | Fibreglass | Fibreglass | Fibreglass | Fibreglass | Fibreglass |
| Dimensions mm | 15x15 | 19x19 | 23x23 | 27x27 | 33x33 | 36x36 |
| Head weight g | 100 | 200 | 300 | 500 | 800 | 1000 |
| Face shape | Square | Square | Square | Square | Square | Square |
| Peen | Yes | Yes | Yes | Yes | Yes | Yes |
| Suitable tool fall protection | 288060304 | 288060304 | 288060304 | 288060304 | 288060304 | 288060304 |

| ARTICLE NUMBER | 272660101 | 272660200 | 272660309 | 272660408 | 272660507 | 272660606 |
|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|--------------------------------|
| Article name | MACHINIST HAMMER LMHH 100G | MACHINIST HAMMER LMHH 200G | ACHINIST HAMMER LMHH 300G | MACHINIST HAMMER LMHH 500G | MACHINIST HAMMER LMHH 800G | MACHINIST HAMMER LMHH 1000G |
| Total weight g | 180 | 270 | 435 | 630 | 990 | 1190 |
| Length mm | 262 | 280 | 300 | 316 | 350 | 360 |
| Handle material | Hickory | Hickory | Hickory | Hickory | Hickory | Hickory |
| Dimensions mm | 15x15 | 19x19 | 23x23 | 27x27 | 33x33 | 36x36 |
| Head weight g | 100 | 200 | 300 | 500 | 800 | 1000 |
| Face shape | Square | Square | Square | Square | Square | Square |
| Peen | Yes | Yes | Yes | Yes | Yes | Yes |
| Suitable tool fall protection | 288060304 | 288060304 | 288060304 | 288060304 | 288060304 | 288060304 |

COPPER SLEDGE HAMMERS



COPPER SLEDGE HAMMER

- Gentle impact on sensitive materials.
- Non-sparking

- Prepared for tool fall protection
- Heavy duty fibreglass handle with special rubber for a good grip whatever the weather

| ARTICLE NUMBER | 298130105 | 298130113 | 298130121 | 298130139 | 298130147 | 298130154 | 298130162 |
|-------------------------------|---------------------------|---------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Article name | COPPER SLEDGE SHCU 300 | COPPER SLEDGE SHCU 600 | COPPER SLEDGE SHCU 1000 | COPPER SLEDGE SHCU 2000 | COPPER SLEDGE SHCU 3000 | COPPER SLEDGE SHCU 4000 | COPPER SLEDGE SHCU 5000 |
| Head weight g | 300 | 600 | 1000 | 2000 | 3000 | 4000 | 5000 |
| Lenght mm | 290 | 320 | 355 | 390 | 855 | 860 | 865 |
| Suitable tool fall protection | 288060304 | 288060304 | 288060304 | 288060403 | 264422700 | 264422700 | 264422700 |

SLEDGE HAMMERS



SLEDGE LS

- Forged sledgehammer with smooth ground striking faces
- Heavy duty fibreglass handle with special rubber for a good grip whatever the weather
- Hole for tool fall protection



GERMAN SLEDGE LGSG

- Forged sledgehammer with smooth ground square striking face
- Hardened cross peen
- Heavy duty fibreglass handle with special rubber for a good grip whatever the weather
- Hole for tool fall protection



UK SLEDGE LUH

- Forged sledgehammer with smooth ground hexagonal striking face
- Handle made of environmental class hickory
- Friction zone on handle for a good grip whatever the weather
- Hole for tool fall protection

SLEDGE HAMMERS

UK SLEDGE LUG



- Forged sledgehammer with smooth ground hexagonal striking face
- Heavy duty fibreglass handle with special rubber for a good grip whatever the weather
- Hole for tool fall protection

| ARTICLE NUMBER | 272710104 | 272720103 | 272730102 | 272730201 | 272730300 | 272740101 |
|-------------------------------|-----------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|
| Article name | SLEDGE 4KG FIBER- GLASS HANDLE | GERMAN SLEDGE FIBERGLASS 4KG | UK SLEDGE 3KG HICKORY HANDLE | UK SLEDGE 4KG HICKORY HANDLE | UK SLEDGE 5KG HICKORY HANDLE | UK SLEDGE 4KG GLASSF HANDLE |
| Total weight g | 4950 | 4950 | 3400 | 4120 | 5200 | 4550 |
| Length mm | 860 | 856 | 760 | 760 | 760 | 855 |
| Handle material | Fibreglass | Fibreglass | Hickory | Hickory | Hickory | Fibreglass |
| Dimensions mm | 63x63 | 62x62 | 55x55 | 59x59 | 63x63 | 59x59 |
| Head weight g | 4000 | 4000 | 2700 | 3600 | 4500 | 3600 |
| Face shape | Square | Square | Octagonal | Octagonal | Octagonal | Octagonal |
| Peen | _ | Yes | - | - | - | - |
| Suitable tool fall protection | 264422700 | 264422700 | 264422700 | 264422700 | 264422700 | 264422700 |

BRICKLAYER HAMMERS



BRICKLAYERS HAMMER LBHH

- Bricklayer hammer with forged head
- Square face and long ground chisel
- Hickory handle with friction zone for a good grip whatever the weather
- Hole for tool fall protection



BRICKLAYER HAMMER LBHF

- Bricklayer hammer forged in one piece
- With square face and long ground chisel
- Special rubber handle for a good grip whatever the weather
 Hole for tool fall protection

| ARTICLE NUMBER | 271250102 | 271260101 |
|-------------------------------|--------------------------------|--------------------------------|
| Article name | BRICKLAYER HAMMER LBHH 454G | BRICKLAYER HAMMER LBHF 567G |
| Total weight g | 665 | 720 |
| Length mm | 295 | 275 |
| Handle material | Hickory | Forged |
| Dimensions mm | 23x23 | 25x25 |
| Head weight g | 454 | 567 |
| Face shape | Square | Square |
| Suitable tool fall protection | 288060403 | 266630102 264680505 |

FORGING SLEDGEHAMMER



FORGING SLEDGEHAMMER FSHH

- Durable handle
- FSC-approved hickory

- Rubber face guard
- Hole for tool fall protection

| ARTICLE NUMBER | 272680109 | 272680208 | 272680307 | 272680406 |
|-------------------------------|------------------------|-------------------------|-------------------------|-------------------------|
| Article name | SLEDGEHAMMER FSHH 900G | SLEDGEHAMMER FSHH 1200G | SLEDGEHAMMER FSHH 1500G | SLEDGEHAMMER FSHH 2000G |
| Total weight g | 900 g | 1200 g | 1500 g | 2000 g |
| Dimensions mm | 35x35 mm | 39x3 9mm | 42x42 mm | 45x45 mm |
| Length mm | 350 mm | 370 mm | 390 mm | 430 mm |
| Peen | Ja | Ja | Ja | Ja |
| Handle material | Hickory | Hickory | Hickory | Hickory |
| Total weight g | 1130 g | 1440 g | 1770 g | 2270 g |
| Face shape | Square | Square | Square | Square |
| Suitable tool fall protection | 288060304 | 288060304 | 288060304 | 288060304 |

ELECTRICIAN HAMMERS



ELECTRICIAN HAMMER ETH 300

- Designed for electricians
- Measuring scale in the handle
- Prepared for tool fall protection

| ARTICLE NUMBER | 290040104 | 290041011 |
|-------------------------------|----------------------------|--|
| Article name | Electrician Hammer ETH 300 | Striking head electrician hammer ETH 300 |
| Head weight g | 300 g | |
| Dimensions mm | 24 x24 mm | |
| Head diameter mm | 23 mm | |
| Length mm | 300 mm | |
| Handle material | Fiberglass/Rubber | |
| Total weight g | 420 g | |
| Face shape | Square/Round | |
| Suitable tool fall protection | 288060304 | |

RUBBER MALLET HAMMERS



RUBBER MALLET HAMMER LRM

- Rubber mallet in solid black rubber
- Hickory handle with friction zone for a good grip whatever the weather
- 70-80 degrees shore A
- Hole for tool fall protection

| ARTICLE NUMBER | 271490104 | 271490203 | 271490302 | 271490401 |
|-------------------------------|---------------------------------|----------------------------------|---------------------------------|----------------------------------|
| Article name | UBBER MALLET HAMMER LRM 225G | RUBBER MALLET HAMMER LRM 340G | UBBER MALLET HAMMER LRM 454G | RUBBER MALLET HAMMER LRM 680G |
| Face diameter | 45 | 52 | 58 | 62 |
| Total weight g | 335 | 465 | 620 | 800 |
| Length mm | 280 | 300 | 330 | 380 |
| Handle material | Hickory | Hickory | Hickory | Hickory |
| Dimensions mm | 15x15 | 19x19 | 23x23 | 27x27 |
| Head weight g | 225 | 340 | 454 | 680 |
| Face shape | Round | Round | Round | Round |
| Suitable tool fall protection | 288060205 | 288060205 | 288060205 | 288060304 |

CROSS PEIN HAMMERS



CROSS PEIN HAMMER LWH

- Cross pein hammer with forged head
- Round ground face and long cross peen
- Hickory handle with friction zone for a good grip whatever the weather
- Hole for tool fall protection

| ARTICLE NUMBER | 271220105 | 271220204 | 271220303 | 271220402 | 271220501 |
|-------------------------------|--|--|--|--|--|
| Article name | MACHINIST HAMMER (PEEN HAMMER) LWH 100G | MACHINIST HAMMER (PEEN HAMMER) LWH 225G | MACHINIST HAMMER (PEEN HAMMER) LWH 285G | MACHINIST HAMMER (PEEN HAMMER) LWH 340G | MACHINIST HAMMER (PEEN HAMMER) LWH 395G |
| Face diameter | 16 | 23 | 27 | 25 | 28 |
| Total weight g | 180 | 330 | 400 | 490 | 540 |
| Length mm | 325 | 272 | 300 | 300 | 322 |
| Handle material | Hickory | Hickory | Hickory | Hickory | Hickory |
| Dimensions mm | 15x15 | 19x19 | 23x23 | 27x27 | 33x33 |
| Head weight g | 100 | 225 | 285 | 340 | 395 |
| Face shape | Round | Round | Round | Round | Round |
| Peen | Yes | Yes | Yes | Yes | Yes |
| Suitable tool fall protection | 288060205 | 288060304 | 288060304 | 288060304 | 288060304 |


BALL PEIN HAMMERS



BALL PEING HAMMER LBP

- Ball pein hammer with forged head
- Round ground face and round precision ground ball
- Hickory handle with friction zone for a good grip whatever the weather
- Hole for tool fall protection

| ARTICLE NUMBER | 271210106 | 271210205 | 271210304 | 271210403 | 271210502 |
|-------------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Article name | BALL HAMMER LBP 225G | BALL PEIN HAMMER LBP 340G | BALL PEIN HAMMER LBP 454G | BALL PEIN HAMMER LBP 567G | BALL PEIN HAMMER LBP 680G |
| Face diameter | 25 | 29 | 30 | 32 | 36 |
| Total weight g | 330 | 495 | 600 | 670 | 960 |
| Length mm | 300 | 327 | 345 | 353 | 400 |
| Handle material | Hickory | Hickory | Hickory | Hickory | Hickory |
| Head weight g | 225 | 340 | 454 | 567 | 680 |
| Face shape | Round | Round | Round | Round | Round |
| Ball | Yes | Yes | Yes | Yes | Yes |
| Suitable tool fall protection | 288060304 | 288060304 | 288060304 | 288060304 | 288060403 |





LUNA MEASURING TAPES

Luna measuring tapes have been developed for tough jobs in a Nordic climate. All 3-, 5-5,5- and 8-metre measuring tapes have the highest tolerance class for accurate measurements. The tapes feature heavy duty protective coatings for reduced wear under regular, tough use. An additional measurement scale on the underside of the tape displays every 30 cm, 45 cm and 60 cm, for easy positioning of studs, etc. All our measuring tapes are prepared for tool fall protection and can be secured easily with several types of tether.

MEASURING TAPES - AUTO LOCK



MEASURING TAPE LAL

- Tolerance class 1
- Auto lock function where the tape locks automatically in the desired position
- Developed to withstand all weather conditions with casing made of impact and cold resistant ABS plastic
- Steel tape with double nylon coating on a yellow, nonreflective surface for maximum visibility and high wear resistance
- CC 30/45/60 measurements on the back of the tape for easy study positioning
- Straight rear edge for internal measuring
- Tool fall protection inside the casing



MEASURING TAPE LAL WITH MAGNETIC END HOOK

- Tolerance class 1
- Auto lock function locks the tape automatically in the desired position
- Magnetic end hook
- Developed to withstand all weather conditions with casing made of impact and cold resistant ABS plastic
- Steel tape with double nylon coating on a yellow, nonreflective surface for maximum visibility and high wear resistance
- CC 30/45/60 measurements on the back of the tape for easy study positioning
- Straight rear edge for internal measuring
- Tool fall protection inside the casing

| ARTICLE NUMBER | 270740103 | 270740202 | 270740210 | 270740400 | 270740301 | 270740509 |
|-------------------------------|--------------------------------|--------------------------------|--------------------------------------|----------------------------------|--------------------------------|----------------------------------|
| Article name | MEASURING TAPE AUTO LOCK 3M | MEASURING TAPE AUTO LOCK 5M | MEASURING TAPE LAL AUTO LOCK 5,5M | MEASURING TAPE AUTOLOCK MAG 5 | MEASURING TAPE AUTO LOCK 8M | MEASURING TAPE AUTOLOCK MAG 8 |
| Width mm | 16 | 19 | 19 | 25 | 19 | 25 |
| Graduation | mm | mm | mm | mm | mm | mm |
| Length m | 3 | 5 | 5,5 | 8 | 5 | 8 |
| Tape material | Steel | Steel | Steel | Steel | Steel | Steel |
| Tolerance class | 1 | 1 | 1 | 1 | 1 | 1 |
| Magnetic end hook | - | - | - | - | Yes | Yes |
| Suitable tool fall protection | 276830106 | 276830205 | 276830205 | 276830205 | 276830205 | 276830205 |

MEASURING TAPES – PUSH LOCK



MEASURING TAPE LPL

- Tolerance class 1
- Push lock function makes the tape easy to use, even when wearing winter gloves
- Enclosed casing made of impact and cold resistant ABS plastic
- Steel tape with double nylon coating on a yellow, nonreflective surface for maximum visibility and high wear resistance
- CC 30/45/60 measurements on the back of the tape for easy study positioning
- Straight rear edge for internal measuring
- Tool fall protection via the hole in the belt clip



MEASURING TAPE LPL WITH MAGNETIC END HOOK

- Tolerance class 1
- With magnetic end hook
- Push lock function makes the tape easy to use, even when wearing winter gloves
- Enclosed casing made of impact and cold resistant ABS plastic
- Steel tape with double nylon coating on a yellow, nonreflective surface for maximum visibility and high wear resistance
- CC 30/45/60 measurements on the back of the tape for easy study positioning
- Straight rear edge for internal measuring
- Tool fall protection via the hole in the belt clip



MEASURING TAPE LSS STAINLESS

- Stainless tape in tolerance class 1
- Specially developed for demanding, damp/corrosive environments
- Push lock function makes the tape easy to use, even when wearing winter gloves
- Enclosed casing made of impact and cold resistant ABS plastic
- CC 30/45/60 measurements on the back of the tape for easy study positioning
- Tool fall protection via the hole in the belt clip

| ARTICLE NUMBER | 270730104 | 270730203 | 270730211 | 270730229 | 270730401 | 270730302 | 270750102 |
|-------------------------------|--------------------------------|--------------------------------|----------------------------------|----------------------------------|--------------------------------|--------------------------------|-------------------------|
| Article name | MEASURING TAPE STAINLESS 5M | MEASURING TAPE PUSH LOCK 3M | MEASURING TAPE PUSH LOCK 5,5M | MEASURING TAPE PUSH LOCK 5,5M | MEASURING TAPE PUSH LOCK 5M | MEASURING TAPE PUSHL MAG 5M | MEASURING TAPE PR 8M |
| Width mm | 16 | 19 | 19 | 25 | 25 | 19 | 19 |
| Graduation | mm | mm | mm | mm | mm | mm | mm |
| Length m | 3 | 5 | 5,5 | 5,5 | 8 | 5 | 5 |
| Tape material | Steel | Steel | Steel | Steel | Steel | Steel | Stainless steel |
| Tolerance class | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Magnetic end hook | _ | _ | _ | - | - | Yes | - |
| Suitable tool fall protection | 276830106 | 276830205 | 276830205 | 276830205 | 276830205 | 276830205 | 276830205 |

LONG TAPES - ENCLOSED CASING



MEASURING TAPE LS STEEL

- Steel measuring tape with enclosed casing made of impact and cold resistant ABS plastic
- Rubber components for increased comfort and grip
- Double nylon coating on a yellow, matt surface for maximum visibility and wear resistance
- Resistant to water, gravel, dust and most chemicals
- Retractable crank with 3:1 gear for quick return
- End hook with both ring and hook
- Tool fall protection in the casing



MEASURING TAPE LG FIBREGLASS

- Fibreglass measuring tape with enclosed casing made of impact and cold resistant ABS plastic
- Heavy duty fibreglass tape with double surface coating, perfect for tough and damp environments. Does not conduct electricity
- Rubber components for increased comfort and grip
- Retractable crank with 3:1 gear for quick return
- End hook with both ring and hook
- Tool fall protection in the casing

| ARTICLE NUMBER | 270760101 | 270760200 | 270770100 | 270770209 |
|-------------------------------|-----------------------------|-----------------------------|----------------------------------|---------------------------------|
| Article name | MEASURING TAPE STEEL 15M | MEASURING TAPE STEEL 30M | MEASURING TAPE FIBERGLASS 15M | EASURING TAPE FIBERGLASS 30M |
| Width mm | 13 | 13 | 15 | 15 |
| Graduation | mm | mm | mm | mm |
| Length m | 15 | 30 | 15 | 30 |
| Material | Steel | Steel | Fibreglass | Fibreglass |
| Tolerance class | 2 | 2 | 2 | 2 |
| Suitable tool fall protection | 276830205 | 276830205 | 276830205 | 276830205 |

BENCH MEASURING TAPE



MEASURING TAPE

- Secure fastening with screws and adhesive
- Best tolerance class 1

Clear numbers, easy to read!

| ARTICLE NUMBER | 293090106 | 293090205 |
|-----------------|----------------------------|----------------------------|
| Article name | FLAT MEASURING TAPE 5M R-L | FLAT MEASURING TAPE 5M L-R |
| Design | R/L | L/R |
| Length m | 5 | 5 |
| Tolerance class | 1 | 1 |
| Width mm | 13 | 13 |
| Graduation | mm | mm |
| Material | Steel | Steel |

LONG TAPES - OPEN CASING



MEASURING TAPE LSO STEEL

- Open casing made of impact and cold resistant ABS plastic
- Double nylon coating on a matt steel tape for good visibility and wear resistance
- and a good grip in all weathers
- Retractable crank with 3:1 gear for quick return
- End hook with both ring and hook • Tool fall protection via the handle
- Rubber components in the handle for increased comfort




Article 301170205 with zero point beginning at 100 mm in.



MEASURING TAPE LGO FIBREGLASS

- Open casing made of impact and cold resistant ABS plastic
- Heavy duty fibreglass tape with double surface coating, perfect for tough and damp environments. Does not conduct electricity
- Rubber components in the handle for increased comfort and a good grip in all weathers
- Retractable crank with 3:1 gear for quick return
- End hook with both ring and hook
- Tool fall protection via the handle

| ARTICLE NUMBER | 270780109 | 270780208 | 301170205 | 270790108 | 270790207 |
|-------------------------------|----------------------------------|----------------------------------|---|----------------------------------|----------------------------------|
| Article name | MEASURING TAPE STEEL OPEN 30M | MEASURING TAPE STEEL OPEN 50M | MEASURING TAPE STEEL OPEN LSO100 50M | MEASURING TAPE GLASSF OPEN 30 | MEASURING TAPE GLASSF OPEN 50 |
| Width mm | 13 | 13 | 13 | 15 | 15 |
| Graduation | mm | mm | mm | mm | mm |
| Length m | 30 | 50 | 50 | 30 | 50 |
| Material | Steel | Steel | Steel | Fibreglass | Fibreglass |
| Tolerance class | 2 | 2 | 2 | 2 | 2 |
| Suitable tool fall protection | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 |





FOLDING RULERS

Classic rulers in Scandinavian design. Made of light FSC grown birch. A clear black font makes them easy to read, also in dim light. Precision-engineered metal joints ensure a smooth feel. Metal tips reinforces and protects the ends against wear. With an anchoring point for tool fall protection.

FOLDING RULES



FOLDING RULE MM WOOD

- Very clear font, easy to read!
- Easy tool fall protection

- Can be used as a compass for large circles
- Reinforced metal tips on ends

| ARTICLE NUMBER | 292780301 | 292780103 | 292780111 |
|-------------------------------|--------------------------|--------------------------|-------------------------------------|
| Article name | FOLDING RULE MM WOOD 1 M | FOLDING RULE MM WOOD 2 M | FOLDING RULE MM WOOD 2 M DISPLAY |
| Scale | mm/mm | mm/mm | mm/mm |
| Length m | 1 | 2 | 2 |
| Number of segments | 6 | 10 | 10 |
| Psc/pack. | 12 | 12 | 48 |
| Suitable tool fall protection | 276830106 | 276830106 | 276830106 |



METRE RULE MM INCH WOOD

- Very clear font, easy to read!
- Easy tool fall protection

- Can be used as a compass for large circles
- Reinforced metal tips on ends

| ARTICLE NUMBER | 292780509 | 292780400 |
|-------------------------------|-----------------------------|-----------------------------|
| Article name | METRE RULE MM INCH WOOD 1 M | METRE RULE MM INCH WOOD 2 M |
| Scale | mm/mm | mm/mm |
| Length m | 1 | 2 |
| Number of segments | 6 | 10 |
| Psc/pack. | 12 | 12 |
| Suitable tool fall protection | 276830106 | 276830106 |



FOLDING RULE CONTACT MM WOOD

- Very clear font, easy to read!
- Easy tool fall protection

- Can be used as a compass for large circles
- Reinforced metal tips on ends

| ARTICLE NUMBER | 292780202 |
|-------------------------------|------------------------------------|
| Article name | FOLDING RULE CONTACT MM WOOD 2M |
| Scale | mm/mm |
| Length m | 2 |
| Number of segments | 10 |
| Psc/pack. | 12 |
| Suitable tool fall protection | 276830106 |



LUNA UTILITY AND SNAP-OFF BLADE KNIVES

Luna universal and snap-off blade knives have been developed to cut through different types of demanding materials. The knives are therefore supplied with SK2H blades, which feature extreme sharpness and durability. We also have models with an automatic, retractable blade for increased safety when in use. All of our knives are prepared for tool fall protection.

SNAP-OFF BLADE KNIVES



SNAP-OFF BLADE KNIFE COMB ZINC

- Double blade function
- The front button pushes forward the blade and has an automatic return spring
- The rear button pushes forward the blade to the desired protruding length
- Rubberised surfaces for a good grip in all weathers
- The rear plastic cover can be detached and used as a snap-off tool for the new blade
- Hole for tool fall protection



SNAP-OFF BLADE KNIFE COMB PLASTIC

- Double blade function
- The front button pushes forward the blade and has an automatic return spring
- The rear button pushes forward the blade to the desired protruding length
- Rubberised surfaces for a good grip in all weathers
- The rear plastic cover can be detached and used as a snap-off tool for the new blade
- Hole for tool fall protection



SNAP-OFF BLADE KNIFE ALU

- Simple, flexible aluminium knife
- Rubberised surfaces for a good grip in all weathers
- The rear plastic cover can be detached and used as a snap-off tool for the new blade
- Hole for tool fall protection



SNAP-OFF BLADE KNIFE PLASTIC

- Flexible knife for simple jobs
- Rubberised surfaces for a good grip in all weathers
- The rear plastic cover can be detached and used as a snap-off tool for the new blade
- Hole for tool fall protection



SNAP-OFF BLADE KNIFE MATT HOOK

- Robust knife with permanent matt hook
- The rear plastic cover can be detached and used as a snap-off tool for the new blade
- Hole for tool fall protection

| ARTICLE NUMBER | 271050205 | 271050304 | 271050106 | 2710603 | 03 | 271060204 | | 271060105 |
|---|--|--|---|--|---|------------------------------|---|--|
| Article name | KNIFE SNAP-OFF BLADE L25-CZ | KNIFE SNAP-OFF BLADE L9-CZ | KNIFE SNAP-OFF BLADE L18-CZ | KNIFE SN BLADE L2 | | KNIFE SNAP-0 BLADE L18-C | | KNIFE SNAP-OFF BLADE L9-CP |
| Blade width mm | 9 | 18 | 25 | 9 | | 18 | | 25 |
| Net weight g | 75 | 176 | 185 | 40 | | 75 | | 145 |
| Total length mm | 160 | 196 | 233 | 160 | | 196 | | 233 |
| Blade material | SK2H | SK2H | SK2H | SK2H | | SK2H | | SK2H |
| Handle material | Zinc alloy | Zinc alloy | Zinc alloy | ABS plast | С | ABS plastic | | ABS plastic |
| Suitable knife blade | 273200105 273250100 | 273200204, 273250209 273210203, 273260209 | | 2732001 2732501 | | 273200204, 2 273210203, 2 | | 273200303 273250308 |
| Suitable tool fall protection | 248870701 | 248870206 | 248870206 | 2488707 | 01 | 248870206 | | 248870206 |
| | | | | | | | | |
| ARTICLE NUMBER | 271070104 | | | | | | | |
| | 2/10/0104 | 271070203 | 271070302 | 271080103 | 271080202 | | 271080301 | 271090102 |
| Article name | KNIFE SNAP-OFF BLADE L9-ALU | 271070203 KNIFE SNAP-OFF BLADE L18-ALU | 271070302 KNIFE SNAP-OFF BLADE L25-ALU | 271080103 KNIFE SNAP-OFF BLADE L9-P | 271080202 KNIFE SNAP-OFF BLADE L18-P | | 271080301 KNIFE SNAP-OFF BLADE L25-P | 271090102 KNIFE SNAP-OFF L18 TUCKER |
| Article name | KNIFE SNAP-OFF | KNIFE SNAP-OFF | KNIFE SNAP-OFF | KNIFE SNAP-OFF | KNIFE SNAP-OFF | | KNIFE SNAP-OFF | KNIFE SNAP-OFF |
| | KNIFE SNAP-OFF BLADE L9-ALU | KNIFE SNAP-OFF BLADE L18-ALU | KNIFE SNAP-OFF BLADE L25-ALU | KNIFE SNAP-OFF BLADE L9-P | KNIFE SNAP-OFF BLADE L18-P | | KNIFE SNAP-OFF BLADE L25-P | KNIFE SNAP-OFF L18 TUCKER |
| Blade width mm | KNIFE SNAP-OFF BLADE L9-ALU | KNIFE SNAP-OFF BLADE L18-ALU 18 | KNIFE SNAP-OFF BLADE L25-ALU 25 | KNIFE SNAP-OFF BLADE L9-P | KNIFE SNAP-OFF BLADE L18-P | | KNIFE SNAP-OFF BLADE L25-P | KNIFE SNAP-OFF L18 TUCKER |
| Blade width mm | KNIFE SNAP-OFF BLADE L9-ALU 9 | KNIFE SNAP-OFF BLADE L18-ALU 18 | KNIFE SNAP-OFF BLADE L25-ALU 25 | KNIFE SNAP-OFF BLADE L9-P 9 35 | KNIFE SNAP-OFF BLADE L18-P 18 | | KNIFE SNAP-OFF BLADE L25-P 25 | KNIFE SNAP-OFF L18 TUCKER 18 |
| Blade width mm Net weight g Total length mm | KNIFE SNAP-OFF BLADE L9-ALU 9 45 | KNIFE SNAP-OFF BLADE L18-ALU 18 90 157 | KNIFE SNAP-OFF BLADE L25-ALU 25 220 203 | KNIFE SNAP-OFF BLADE L9-P 9 35 | KNIFE SNAP-OFF BLADE L18-P 18 70 160 | | KNIFE SNAP-OFF BLADE L25-P 25 115 203 | KNIFE SNAP-OFF L18 TUCKER 18 110 165 |
| Blade width mm Net weight g Total length mm Blade material | KNIFE SNAP-OFF BLADE L9-ALU 9 45 132 SK2H | KNIFE SNAP-OFF BLADE L18-ALU 18 90 157 SK2H | KNIFE SNAP-OFF BLADE L25-ALU 25 220 203 SK2H | KNIFE SNAP-OFF BLADE L9-P 9 35 140 SK2H | KNIFE SNAP-OFF BLADEL18-P 18 70 160 SK2H | 50209 | KNIFE SNAP-OFF BLADE L25-P 25 115 203 SK2H | KNIFE SNAP-OFF L18 TUCKER 18 110 165 SK2H |

UTILITY KNIVES



UTILITY KNIFE LUK-30TB

- Heavy duty knife with dual blades and controls for hook blades or straight, plain blades
- Rubberised surfaces for a good grip in all weathers
- Blade magazine in handle
- Hole for tool fall protection



UTILITY KNIFE LUK-80

- Knife for demanding use and tough jobs
- Blade control on the side keeps the top side free for maximum cutting pressure
- Blade magazine in handle with screw lock
- Hole for tool fall protection

UTILITY KNIVES



UTILITY KNIFE MULTIFUNCTION FOLDING

- Folding knife for minimum size
- Blade has a heavy duty locking button
- Blade magazine in handle
- Hole for tool fall protection



UTILITY KNIFE LUK-92

- Simple, flexible model
- Blade magazine in handle with screw lock
- Hole for tool fall protection



UTILITY KNIFE LUK-40Q

- Hand guard for increased safety
- Rubberised surfaces for a good grip in all weathers
- Blade magazine in handle
- Tool fall protection via the safety handle



UTILITY KNIFE LUK-20FS

- Heavy duty safety model with two choices for extending the blade: fixed locking or spring loaded return (safety knife)
- Guide for quick cutting of tape/string
- Rubberised surfaces for a good grip in all weathers
- Blade magazine in handle
- Hole for tool fall protection



UTILITY KNIFE LUK-60S

- Lightweight safety model for simple jobs
- With spring loaded blade return
- $\bullet \quad \text{Rubberised surfaces for a good grip in all weathers} \\$
- Guide for quick cutting of tape/string
- Hole for tool fall protection

UTILITY KNIVES



UTILITY KNIFE LUK-90

- Traditional, lightweight model with rubberised surfaces for a good grip in all weathers
- Guide for quick cutting of tape/string
- Blade magazine in handle
- Hole for tool fall protection

| ARTICLE NUMBER | 270950108 | 271010100 | 271100109 | 271040107 | 270960107 | 270940109 | 270980105 | 271020109 |
|-------------------------------|--|--|--|--|--|--|--|--|
| Article name | KNIFE UTILITY LUK-30TB | KNIFE UTILITY LUK-80 | KNIFE MULTI FUNCTION | KNIFE UTILITY LUK-92 | KNIFE UTILITY LUK-40Q | KNIFE UTILITY LUK-20FS | KNIFE UTILITY LUK-60S | KNIFE UTILITY LUK-90 |
| Net weight g | 220 | 235 | 125 | 120 | 255 | 210 | 85 | 140 |
| Total length mm | 173 | 175 | 167 | 160 | 180 | 175 | 165 | 170 |
| Blade material | SK2H |
| Handle material | Aluminium alloy | Zinc alloy | Zinc alloy | Zinc alloy | Aluminium alloy | Zinc alloy | Aluminium alloy | Aluminium alloy |
| Suitable knife blade | 272780107, 273230102, 273190108, 273240101, 272780206, 273190207 |
| Suitable tool fall protection | 248870206 | 264421900 | 248870206 | 248870206 | 248871204 | 248870206 | 248870206 | 248870206 |

KNIFE BLADES



KNIFE BLADE STRAIGHT SK2H

- Knife blade straight 61 mm SK2H for utility knives
- Carbon steel with alloying elements to achieve extreme sharpness and a long service life
- HRC 64



KNIFE BLADE STRAIGHT SK5

- Knife blade straight 61 mm SK5 for utility knives
- Carbon steel with alloying elements to achieve good sharpness and a long service life

KNIFE BLADES

KNIFE BLADE HOOK SK2H



- Knife blade hook 48 mm SK2H for universal knives
- Carbon steel with alloying elements to achieve extreme sharpness and a long service life
- HRC 64



KNIFE BLADE HOOK SK5

- Knife blade hook 48 mm SK5 for utility knives
- Carbon steel with alloying elements to achieve good sharpness and a long service life



SNAP-OFF BLADE SK2H 10PC 9 MM

- Knife blade 9 mm SK2H for snap-off blade knives
- Carbon steel with alloying elements to achieve extreme sharpness and a long service life
- HRC 64



SNAP-OFF BLADE SK5 10PC 9 MM

- Knife blade 9 mm SK5 for snap-off blade knives
- Carbon steel with alloying elements to achieve good sharpness and a long service life



SNAP-OFF BLADE SK2H 10PC 18 MM

- Knife blade 18 mm SK2H for snap-off blade knives
- Carbon steel with alloying elements to achieve extreme sharpness and a long service life
- HRC 64



SNAP-OFF BLADE SK5 18 MM

- Knife blade 18 mm SK5 for snap-off blade knives
- Carbon steel with alloying elements to achieve good sharpness and a long service life

KNIFE BLADES



SNAP-OFF BLADE SK2H 25 MM

- Knife blade 25 mm SK2H for snap-off blade knives
- Carbon steel with alloying elements to achieve extreme sharpness and a long service life
- HRC 64



SNAP-OFF BLADE SK5 25 MM

- Knife blade 25 mm SK5 for snap-off blade knives
- Carbon steel with alloying elements to achieve good sharpness and a long service life

| ARTICLE NUMBER | 272780107 | 272780206 | 273230102 | 273190108 | 273190207 | 273240101 | | |
|---------------------------|----------------------------------|---------------------------------|-----------------------------------|----------------------------------|-----------------------------------|------------------------------------|----------------------------------|----------------------------------|
| Article name | KNIFE BLADES 61MM SK2H (10) | KNIFE BLADES 61MM SK2H (100) | KNIFE BLADES 61MM SK5 (10) | KNIFE BLA 48MM SK2H HOOK (10) | NIFE BLA 48MM SK2H HOOK (100) | KNIFE BLADES 48MM SK5 HOOK (10) | | |
| Blade width mm | 19 | 19 | 19 | 19 | 19 | 19 | | |
| Net weight g | 56 | 430 | 50 | 44 | 365 | 43 | | |
| Blade length mm | 61 | 61 | 61 | 48 | 48 | 48 | | |
| Blade material | SK2H | SK2H | SK5 | SK2H | SK2H | SK5 | | |
| No. of blades per pack | 10 | 100 | 10 | 10 | 100 | 10 | | |
| | | | | | | | | |
| | | | | | | | | |
| ARTICLE NUMBER | 273200105 | 273250100 | 273200303 | 273250308 | 273200204 | 273210203 | 273250209 | 273260208 |
| Article name | SNAP-OFF BLADES 9MM SK2H (10) | SNAP-OFF BLADES 9MM SK5 (10) | SNAP-OFF BLADES 25MM SK2H (10) | SNAP-OFF BLADES 18MM SK5 (50) | SNAP-OFF BLADES 18MM SK2H (10) | SNAP-OFF BLADES 18MM SK2H (50) | SNAP-OFF BLADES 18MM SK5 (10) | SNAP-OFF BLADES 25MM SK5 (10) |
| Blade width mm | 9 | 9 | 25 | 25 | 18 | 18 | 19 | 19 |
| Net weight g | 40 | 40 | 200 | 200 | 85 | 425 | 85 | 425 |
| Blade length mm | 80 | 80 | 125 | 125 | 100 | 100 | 100 | 100 |
| Blade material | SK2H | SK5 | SK2H | SK5 | SK2H | SK2H | SK5 | SK5 |
| No. of blades per pack | 10 | 10 | 10 | 10 | 10 | 50 | 10 | 50 |

GLASS SCRAPER



GLASS SCRAPER

- Glass scraper made of stainless steel with plastic and rubber components for comfortable and safe use
- Blade width 39 mm
- Blade slides in and out
- Hole for tool fall protection



BLADE GLASS SCRAPER SK2H

- Blade SK2H for glass scraper
- Carbon steel with alloying elements to achieve extreme sharpness and a long service life HRC 64

| ARTICLE NUMBER | 271120107 | 272830100 | 272830209 |
|-------------------------------|----------------------|----------------------------------|----------------------------------|
| Article name | GLAS SCRAPER 40MM | BLADE GLASS SCRAPER SK2H (10) | BLADE GLASS SCRAPER SK2H (50) |
| Blade width mm | 39 | 39 | 39 |
| Blade length mm | 19 | 19 | 19 |
| Net weight g | 56 | 35 | 35 |
| No. per pack | 1 | 10 | 50 |
| Blade material | SK2H | SK2H | SK2H |
| Handle material | Stainless steel | - | - |
| Suitable knife blade | 272830100 | - | - |
| Suitable tool fall protection | 248870206 | - | - |





LUNA AXES

Luna has a wide range of axes from small axes, perfect for finely chopping wood, to larger axes for tree felling and coarse splitting. Handles are available in both hickory and fibreglass, with friction zones for a better grip in damp weather conditions. The curved design of the handle provides good support and power in all situations. The axe edge is precision hardened to ensure high durability and long intervals between regrinding. All axes are prepared for tool fall protection. All our axes are supplied with heavy duty leather edge guards.

UNIVERSAL AXES



OUTDOOR AXE LUA

- Universal axe in classic Nordic form and design
- Forged head in several stages provides high quality and good sharpness
- Curved handle made of environmental class hickory
- Friction zone on handle for a good grip in all weathers
- · Heavy duty leather edge guard
- Hole for tool fall protection

UNIVERSAL AXE MINI IN GIFT BOX

• Gift box only for article 272670092

| ARTICLE NUMBER | 272670092 | 272670100 | 272670209 | 272670308 | |
|-----------------|-----------------------|---------------------------|----------------------------|----------------------------|--|
| Article name | UNIVERSAL AXE MINI | UNIVERSAL AXE LUA 680G | UNIVERSAL AXE LUA 1100G | UNIVERSAL AXE LUA 1550G | |
| Head weight g | 680 | 680 | 1100 | 1550 | |
| Length mm | 290 | 380 | 510 | 725 | |
| Handle material | Hickory | Hickory | Hickory | Hickory | |
| Suitable tool | 288060304 | 264422106 | 264422106 | 264422700 | |

CHOPPING AXES



CHOPPING AXE LCH

- Splitting axe for splitting large timber
- The wedge shaped head splits apart the wood extremely efficiently
- Striking face on top for extra power
- Curved handle made of environmental class hickory
- Friction zone on handle for a good grip in all weathers
- Forged in several stages to provide high quality and good sharpness
- Hole for tool fall protection



CHOPPING AXE LCG

- Splitting axe for splitting large timber
- The wedge shaped head splits apart the wood extremely efficiently
- Striking face on top for extra power
- Durable fibreglass handle with a curved design
- Special rubber for a secure grip whatever the weather
- Forged in several stages to provide high quality and good sharpness
- Hole for tool fall protection

| ARTICLE NUMBER | 272690108 | 272700105 |
|-------------------------------|-------------------------|-------------------------|
| Article name | CHOPPING AXE LCH 2KG | CHOPPING AXE LCG 2KG |
| Head weight g | 2000 | 2000 |
| Length mm | 720 | 710 |
| Handle material | Hickory | Fibreglass |
| Suitable tool fall protection | 264422700 | 264422700 |



LUNA HAND SAWS

Luna hand saws are available in different designs to meet different requirements. Our saws are characterised by heavy duty, two-component handles and high quality material selection and tooth hardening. Tool fall protection via the handle.

HAND SAWS



HAND SAW CHAMPION (\$400, \$500, \$550)

- 3-phase grinded hand saw with hardened teeth
- · With friction coated saw blade
- \bullet Two-component handle designed as an angle stop at 90° and 45° to the back of the saw blade
- The saw has a sloping tip to enable it to better cut through the middle of the material
- Tool fall protection via the handle



HAND SAW PREMIUM (400, 500, 550)

- 3-phase grinded hand saw with hardened teeth
- Coated saw blade
- Two-component handle designed as an angle stop at 90° and 45° to the back of the saw blade
- The saw has a sloping tip to enable it to better cut through the middle of the material
- Tool fall protection via the handle



HAND SAW PREMIUM - UNIVERSAL TOOTH GRIND (500)

- Universal tooth grind, hardened tooth points
- Coated saw blade
- Two-component handle designed as an angle stop at 90° and 45° to the back of the saw blade
- The saw has a sloping tip to enable it to better cut through the middle of the material
- Tool fall protection via the handle



HAND SAW CLASSIC (A550)

- Universal tooth grind, hardened tooth points
- Coated saw blade
- Single-component handle designed as an angle stop at 90° and 45° to the back of the saw blade
- The saw has a sloping tip to enable it to better cut through the middle of the material
- Tool fall protection via the handle



BACK SAW

- Extra fine teeth for fine cuts
- Universal tooth grind, hardened tooth points
- Coated saw blade

- Two-component handle
- Tool fall protection via the handle

HAND SAWS



VENEER SAW

- Extra fine teeth for fine cuts
- Even the curved upper section of the saw blade is toothed
- Universal tooth grind, hardened tooth points
- Coated saw blade
- Two-component handle
- Tool fall protection via the handle



JAPANESE STYLE PULL SAW

- Joiners saw with soft, flexible saw blade
- Rubber grip handle

- Saws with a pull action
- Hole for tool fall protection



201830304

201830403

ARTICLE NUMBER

JIGSAW

201830205

- Universal tooth grind, hardened tooth points
- Coated saw blade

• Two-component handle

201850203

201850302

Hole for tool fall protection

| Article name | HANDSAWS550 11TPI 3 PHASE | HANDSAWS550 9TPI 3 PHASE | HANDSAWS500 11TPI 3 PHASE | HANDSAWS400 11TPI 3 PHASE | HANDSAW400 11TPI 3 PHASE | HANDSAW500 11TPI 3 PHASE | HANDSAW550 11TPI 3 PHASE |
|-------------------------------|------------------------------|-------------------------------|--------------------------------|---------------------------------|-----------------------------|---------------------------------|-----------------------------|
| No. of teeth per inch | 11 | 9 | 11 | 11 | 11 | 11 | 11 |
| Blade thick- ness mm | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Blade length mm | 550 | 550 | 500 | 400 | 400 | 500 | 550 |
| Net weight g | 590 | 590 | 515 | 440 | 470 | 509 | 580 |
| Suitable tool fall protection | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 |
| | | | | | | | |
| | | | | | | | |
| ARTICLE NUMBER | 201860103 | 202010104 | 201870102 | 201880101 | 202020103 | 201890100 | |
| Article name | HANDSAW500 7TPI UNIVERSAL | HANDSAWA550 7TPI UNIVERSAL | BACK SAW350 13TPI UNIVERSAL | VENEERSAW320 13TPI UNIVERSAL | JAPAN SAW265 16TPI | KEYHOLESAW300 7TPI UNIVERSAL | |
| No. of teeth per inch | 7 | 7 | 13 | 13 | 16 | 7 | |
| Blade thick- ness mm | 0.85 | 0.85 | 0.7 | 0.7 | 0.6 | 1 | |
| Blade length mm | 500 | 550 | 350 | 320 | 265 | 300 | |
| Net weight g | 469 | 370 | 460 | 316 | 213 | 164 | |
| Suitable tool fall protection | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | |

201830106

201850104

BOW SAWS AND LIGHTWEIGHT CONCRETE SAWS



BOW SAW

- Oval steel bow with quick blade clamping
- Handle fitted with knuckle guard
- Supplied with saw blade
- Tool fall protection via the handle



BOW SAW FOR FOOD

- Adapted for cutting up frozen food items
- Oval, chrome plated steel bow with quick blade clamping
- Handle fitted with knuckle guard
- Supplied with saw blade
- Tool fall protection via the handle



HAND SAW FOR LIGHTWEIGHT CONCRETE

- Designed for sawing through building stone and building blocks
- Suitable for all types of lightweight concrete
- Two-component handle with soft ergonomic grip
- Tool fall protection via the handle

| ARTICLE NUMBER | 202030003 | 202030102 | 202030201 | 202030300 | 202050100 | 203920103 |
|-------------------------------|---------------------------|-------------------------|-------------------------|-------------------------|-----------------------------|----------------------|
| Article name | BOW SAW 300 MM 12 INCH | BOW SAW 530MM 21INCH | BOW SAW 610MM 24INCH | BOW SAW 760MM 30INCH | BOW SAW 530MM 21INCHMEAT | HAND SAW TC 710MM |
| Blade width mm | 20 | 20 | 20 | 20 | 20 | - |
| Blade length mm | 300 | 530 | 610 | 760 | 530 | 710 |
| Net weight g | 510 | 633 | 680 | 727 | 543 | 906 |
| Suitable tool fall protection | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 |



LUNA CLAMPS

Luna's range of clamps includes both one-hand clamps and screw clamps. Our models are designed for flexibility and durability. With a focus on providing a firm grip and easy handling. Our clamps are prepared for tool fall protection via a hole in the guide rail.

CLAMPS



ONE-HAND CLAMP

- One-hand clamp with quick setting
- Steel guide rail
- Pressure plate with plastic cover
- The fixed jaw is reversible for internal clamping and outward straining
- Clamping force 150 kg
- Hole for tool fall protection



SCREW CLAMP


- Made of malleable cast iron
- Guide rail made of zinc plated steel
- Heavy duty square-threaded, bronzed screw with plastic-coated, ball-jointed pressure plate
- With two-component handle
- Hole for tool fall protection

| ARTICLE NUMBER | 208570101 | 208570200 | 208570309 | 208570408 |
|-------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Article name | ONE-HAND CLAMP 150MM | ONE-HAND CLAMP 300MM | ONE-HAND CLAMP 450MM | ONE-HAND CLAMP 600MM |
| Туре | One-hand | One-hand | One-hand | One-hand |
| Gap depth mm | 85 | 85 | 85 | 85 |
| Clamping width mm | 150 | 300 | 450 | 600 |
| Clamping force kg | 150 | 150 | 150 | 150 |
| Weight g | 690 | 815 | 880 | 955 |
| Suitable tool fall protection | 248871204 | 248871204 | 248871204 | 248871204 |

| ARTICLE NUMBER | 209520105 | 209520204 | 209520303 | 209520402 | 209520501 | 209520600 | 209520709 |
|-------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----------------------------|--------------------------|-----------------------------|
| Article name | SCREW CLAMP TGRC12U2K | SCREW CLAMP TGRC16U2K | SCREW CLAMP TGRC20U2K | SCREW CLAMP TGRC25U2K | SCREW CLAMP TGRC30S12U2K | SCREW CLAMP TGRC30U2K | SCREW CLAMP TGRC40S14U2K |
| Туре | Screw | Screw | Screw | Screw | Screw | Screw | Screw |
| Gap depth mm | 60 | 80 | 100 | 120 | 120 | 140 | 140 |
| Clamping width mm | 120 | 150 | 200 | 250 | 300 | 300 | 400 |
| Guide rail dimensions mm | 20×5 | 25×6 | 30×8 | 30×8 | 30×8 | 35×9 | 35×9 |
| Weight g | 445 | 787 | 1268 | 1690 | 1750 | 2270 | 2506 |
| Suitable tool fall protection | 263820201 | 248871204 | 248871204 | 248871204 | 248871204 | 248871204 | 248871204 |

| ARTICLE NUMBER | 209520808 | 209520907 | 209521004 | 209521103 | 209521202 |
|-------------------------------|--------------------------|---------------------------|---------------------------|---------------------------|----------------------------|
| Article name | SCREW CLAMP TGRC40U2K | SCREW CLAMP TGRC50S12U | SCREW CLAMP TGRC50S17U | SCREW CLAMP TGRC80S12U | SCREW CLAMP TGRC100S17U |
| Туре | Screw | Screw | Screw | Screw | Screw |
| Gap depth mm | 175 | 120 | 175 | 120 | 175 |
| Clamping width mm | 400 | 500 | 500 | 800 | 1000 |
| Guide rail dimensions mm | 35×9 | 30×8 | 35×9 | 30×8 | 35×9 |
| Weight g | 2775 | 2150 | 3012 | 2585 | 4160 |
| Suitable tool fall protection | 263820201 | 248871204 | 248871204 | 248871204 | 248871204 |







WRECKING BARS AND PRY BARS

Luna Tools wrecking bars and pry bars are created to meet the craftman's demand on power, durability and agility. The range of wrecking bars include products that are specially designed for easier access between different materials, and which have ends with wide area that reduces the risk of damage and marks. Our pry bars are by their design well balanced for maximal power. All our wrecking bars and pry bars are prepared for tool fall protection.

WRECKING BAR



WRECKING BAR MADE OF HIGH ALLOY OCTAGONAL CHROME VANADIUM STEEL

- Wrecking bar made of high alloy octagonal chrome vanadium steel
- Thin, ground surfaces on both claws and a chisel end to facilitate breaking and nail extraction
- Wide design at both ends to better spread the pressure on the foundation
- Supplied complete with fixing components for tool fall protection AISI 316

| ARTICLE NUMBER | 270870108 | 270870207 | 270870306 | 270870405 | 270870504 |
|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Article name | WRECKING BAR 300P | WRECKING BAR 500P | WRECKING BAR 625P | WRECKING BAR 710P | WRECKING BAR 900P |
| Length mm | 300 | 500 | 625 | 710 | 900 |
| Width mm | 76 | 116 | 116 | 127 | 127 |
| Weight kg | 0,49 | 1,02 | 1,25 | 1,81 | 2,7 |



WRECKING BAR MADE OF HEXAGONAL STEEL

- Wrecking bar made of hexagonal steel
- Hardened and tempered for good elasticity
- Supplied complete with fixing components for tool fall protection AISI 316

| ARTICLE NUMBER | 271480105 | 271480204 | 271480212 | 271480303 |
|----------------|-------------------|-------------------|-------------------|-------------------|
| Article name | WRECKING BAR 400E | WRECKING BAR 500E | WRECKING BAR 600E | WRECKING BAR 700E |
| Length mm | 400 | 500 | 600 | 700 |
| Width mm | 90 | 95 | 95 | 100 |
| Weight kg | 0,76 | 0,91 | 1,1 | 1,66 |



WRECKING BAR, FLAT

- Thinly grounded for breaking off small and thin strips, small nails, etc
- Extra hole to pull out nails

Hole for tool fall protection

| ARTICLE NUMBER | 270880107 | 270880115 |
|-------------------------------|-------------------|-----------------------|
| Article name | WRECKING BAR MINI | WRECKING BAR FLAT 380 |
| Length mm | 190 | 380 |
| Width mm | 30 | 44 |
| Weight kg | 0,09 | 0,68 |
| Suitable tool fall protection | 276830106 | 288060106 |

PRY BAR

STEEL PRY BAR

- Hardened and tempered for high strength
- Forged in one piece

- Square head and hexagonal shaft provides good grip and balance
- Hole for tool fall protection

| ARTICLE NUMBER | 270900004 | 270900103 | 270900202 |
|-------------------------------|--------------|--------------|--------------|
| Article name | PRY BAR 1200 | PRY BAR 1350 | PRY BAR 1500 |
| Length mm | 1200 | 1350 | 1500 |
| Width mm | 27 | 28 | 30 |
| Weight kg | 5 | 6 | 7 |
| Suitable tool fall protection | 264421801 | 264421801 | 264421801 |

ALU PRY BAR STEEL TIP

• Low weight

ALU PRY BAR

• Tip of steel


- Friction grip
- Hole for tool fall protection

| 7 = | | Tip of steel | |
|-------------------------------|----------------------------|----------------------------|--|
| ARTICLE NUMBER | 293070108 | 293070207 | |
| Article name | ALU PRY BAR STEEL ASS 1200 | ALU PRY BAR STEEL ASS 1500 | |
| Length mm | 1200 | 1500 | |
| Width mm | 30 | 30 | |
| Weight kg | 2,9 | 3,4 | |
| Suitable tool fall protection | 264422205 | 264422205 | |

Low weight • Friction grip THE REAL PROPERTY. • Made in one piece Hole for tool fall protection ARTICLE NUMBER 293060109 293060208 Article name ALU PRY BAR AS 1200 ALU PRY BAR AS 1500 1500 1200 Length mm Width mm 30

 Weight kg
 2,3
 2,8

 Suitable tool fall protection
 264422205
 264422205





SPIRIT LEVELS

The spirit level is an essential tool for creating the foundation of your construction. Luna Tools spirit levels are engineered for Nordic conditions and Nordic building traditions. The vials will give you high precision information. All our spirit levels are prepared for tool fall protection.

SPIRIT LEVELS



SPIRIT LEVEL CLP

- Milled contact surface on 40, 60 and 120 cm levels.
- Big vial
- Precision 0,5 mm/m

- Rigid aluminium profile 50 x 24 mm
- Hole for tool fall protection
- Shock absorbing end caps

| ARTICLE NUMBER | 280500208 | 280510108 | 280500307 | 280510207 | 280500406 | 280500505 | 280500604 |
|-------------------------------|---------------------|----------------------|---------------------|----------------------|----------------------|----------------------|----------------------|
| Article name | SPIRIT LEVEL CLP 40 | SPIRIT LEVEL CLP 40M | SPIRIT LEVEL CLP 60 | SPIRIT LEVEL CLP 60M | SPIRIT LEVEL CLP 120 | SPIRIT LEVEL CLP 180 | SPIRIT LEVEL CLP 200 |
| Length mm | 400 | 400 | 600 | 600 | 120 | 180 | 200 |
| Vials pcs | 3 | 2 | 3 | 3 | 3 | 3 | 3 |
| Magnetic | - | Yes | - | Yes | - | - | - |
| Suitable tool fall protection | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 | 292650108 |



SPIRIT LEVELS



SPIRIT LEVEL LE

- Precision 0,5 mm/m
- Hole for tool fall protection

• Aluminium profile 50 x 20 mm

| Suitable tool fall protection | 292650108 | 292650108 | 292650108 | 292650108 |
|-------------------------------|--------------------|--------------------|---------------------|---------------------|
| Vials pcs | 2 | 3 | 3 | 3 |
| Length mm | 400 | 600 | 1200 | 1800 |
| Article name | SPIRIT LEVEL LE 40 | SPIRIT LEVEL LE 60 | SPIRIT LEVEL LE 120 | SPIRIT LEVEL LE 180 |
| ARTICLE NUMBER | 280490103 | 280490202 | 280490301 | 280490400 |



TORPEDO ALUMINIUM

- Easy-to-read vials
- Strong magnets

- Rigid design
- Hole for tool fall protection

| ARTICLE NUMBER | 282930106 |
|-------------------------------|-------------|
| Article name | TORPEDO 923 |
| Length mm | 250 |
| Vials pcs | 3 |
| Magnetic | Yes |
| Suitable tool fall protection | 292650108 |




TORPEDO PLASTIC

- Low weight and easy to handle
- Magnet

Hole for tool fall protection

| ARTICLE NUMBER | 282940105 |
|-------------------------------|-------------|
| Article name | TORPEDO 227 |
| Length mm | 250 |
| Vials pcs | 3 |
| Magnetic | Yes |
| Suitable tool fall protection | 292650108 |





SQUARES

Correct angles will facilitate your construction process. Luna Tools squares are designed and engineered in high quality materials to give you the best possible result. All our squares are prepared for tool fall protection when work is conducted at heights.

SQUARES



SQUARE AL

- Tolerance ±0.03°
- Milled surfaces
- Wide contact surface

- Stainless steel blade
- Hole for tool fall protection
- Aluminium handle



SQUARE PL

- Easy to carry
- Wide contact surface
- Stainless steel blade

- Hole for tool fall protection
- Handle cast in ABS plastic

| ARTICLE NUMBER | 281060202 | 281060301 | 281070201 | 281070300 |
|-------------------------------|--------------------|--------------------|--------------------|--------------------|
| Article name | TRY SQUARE ALU 250 | TRY SQUARE ALU 300 | TRY SQUARE ABS 250 | TRY SQUARE ABS 300 |
| Length mm | 250 | 300 | 250 | 300 |
| Material | Aluminium | Aluminium | Plastic | Plastic |
| Suitable tool fall protection | 276830106 | 276830106 | 276830106 | 276830106 |



TRY SQUARE ADJUSTABLE

- Adjustable square with 8 positions
- Foldable to compact size

- Stainless steel blade
- Hole for tool fall protection

ARTICLE NUMBER 281080101

Article name TRY SQUARE ADJUSTABLE ALA300

Length mm 300

Material Aluminium

Suitable tool fall protection 276830106

SQUARES



SPEED SQUARE

- Quick 90° and 45° operation
- $\bullet \quad \text{A protractor for measuring 0-90}^\circ \\$
- Parallel lines

- Hole for tool fall protection
- Functions for measuring angles in roof constructions

| ARTICLE NUMBER | 281090001 | 281090100 | 281090209 |
|----------------|-----------|-----------|-----------|
|----------------|-----------|-----------|-----------|

| Article name | QUICK SQUARE AL 115 | QUICK SQUARE AL 175 | QUICK SQUARE AL 300 |
|-------------------------------|---------------------|---------------------|---------------------|
| Length mm | 115 | 175 | 300 |
| Material | Aluminium | Aluminium | Aluminium |
| Suitable tool fall protection | 276830106 | 276830106 | 276830106 |



BEVEL SQUARE

- Strong aluminium construction
- Milled contact surfaces

- Graded measuring scale in stainless steel
- Tool fall protection in the locking screw


ARTICLE NUMBER 281110106

Article name BEVAL ALR 250

Length mm 250

Material Aluminium

Suitable tool fall protection 276830106





TOOL FALL PROTECTION

It can be time consuming and difficult to find the right type of fall protection product for hand tools. We have used our 100 years in the industry to develop practical solutions for working at height. Luna's range has been designed for easy tool fall protection, whatever job you are performing.

FOR TOOLS UP TO 2 KG



WRIST BAND WITH VELCRO

- Wrist band with Velcro and cord loop
- Easy Velcro fastening around the wrist
- Short cord has minimal impact on your freedom of movement when working



WRIST BAND WITH VELCRO AND SWIVEL HOOK

- Elastic lanyard with energy dampening function
- Easy Velcro fastening around the wrist
- Short lanyard has minimal impact on your freedom of movement when working
- Twist lock swivel snap hook made of aluminum



SPIRAL WIRE COATED

- Spiral wire made of stainless steel (AISI 304) with plastic cover
- Stainless steel (AISI 304) snap hooks with screw locks



RETRACTABLE LANYARD

- Retractable lanyard with plastic coated stainless steel (AISI 304) wire
- Stainless swivel at the end

FOR TOOLS UP TO 4 KG



LANYARD ELASTIC 2 CARABINER

- Elastic lanyard with energy dampening function
- Twist lock swivel snap hooks made of aluminum at both ends



LANYARD ELASTIC WITH CORD LOOP

- Elastic lanyard with energy dampening function
- Twist lock aluminum swivel snap hook at one end and cord with loop at the other end



LANYARD ELASTIC 3 CARABINERS

- Double elastic lanyard with energy dampening function
- Twist lock aluminum swivel snap hooks at all ends

FOR TOOLS UP TO 4 KG



WIRE WITH CARABINERS

- Wire with lockable snap hooks at both ends
- Acid-proof steel 316 for demanding corrosive environments
- Suitable for use with sharp edges or where there is a risk of weld spatter, etc.

| ARTICLE NUMBER | 264900408 | 264901309 | 264901026 | 264750100 | 264750209 | 265340208 |
|----------------|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-----------------------------|--------------------------|
| Article name | WRIST BAND LOOP WITH VELCRO | WRIST STRAP SWIVEL SNAP HOOK | SPIRAL WIRE PLASTIC COA 2 KG | LANYARD RETRACTIVE STOP 1.25M | LANYARD RETRACTIVE 1.25M | WIRE CARABINER 3MMX1M |
| Max drop m | 2 | 2 | 2 | 2 | 2 | 2 |
| Load, max kg | 2 | 2 | 2 | 2 | 2 | 2 |
| Lenght m | 0.35 | 0.28-0.4 | 0.45-1.4 | 1.25 | 1.25 | 1 |
| | | | | | | |
| ARTICLE NUMBER | 276860103 | 301153508 | 276850104 | 264901208 | | |
| Article name | LANYARD ELASTIC 2 CARABINER | TOOL TETHER ELASTIC WITH LOOP | LANYARD ELASTIC 3 CARABINER | BELT LOOP 50 WITH D-RING | | |
| Max drop m | 2 | 2 | 2 | N/A | | |
| Load, max kg | 4 | 4 | 4 | 4 | | |
| Lenght m | 0.9-1.6 | 0.9-1.4 | 0.9-1.6 | N/A | | |





FOR TOOLS OVER 4 KG



STRAP FOR HEAVIER TOOLS

- Strap for securing tools to fixed installations
- Intended for heavier tools or machinery
- Galvanised D-ring and loop
- Not for attachment to the body



STRAP FOR HEAVIER TOOLS WITH SNAP HOOK

- Strap for securing tools to fixed installations
- With fitted snap hook and loop at the other end
- Intended for heavier tools or machinery



WIRE FOR HEAVIER TOOLS WITH SNAP HOOKS


- Stainless steel 316 wire
- With loop and lockable snap hook at both ends



ELASTIC STRAP WITH LOOP AND SNAP HOOK

- Polyester strap with elastic energy dampening function
- Noose at one end and lockable snap hook made of stainless steel (AISI 304), hook opening 10 mm

| ARTICLE NUMBER | 264901109 | 264680307 | 265340604 | 276870102 |
|----------------|-----------------------------------|--------------------------------|--------------------------|-----------------------------------|
| Article name | LANYARD HEAVY-DUTY D-RING 0.9M | LANYARD LOOP CARABINER 1.8M | WIRE CARABINER 5MMX1M | LANYARD ELASTIC LOOP CARABINER |
| Max drop m | 2 | 2 | 2 | 2 |
| Load max kg | 15 | 12 | 6 | 6 |
| Lenght m | 0.9 | 1.8 | 1 | 1-1.6 |



OUR HAND TOOLS ARE ADAPTED FOR NORDIC CONDITIONS AND PREPARED FOR EASY TOOL FALL PROTECTION. SO YOU CAN PROTECT YOUR WORKDAY – EVERY DAY.



